## Math 1210: Introductory Problems

Imagine a particle travelling on straight line that passes through a point P and extends a long way (infinitely!) to the east and west. Let d(t) be the displacement of the particle from a fixed point P at time t, where time is measured in seconds and distance in metres.

Assume that a positive value of d(t) indicates that the particle is to the east of P at time t, and a negative sign indicates that it is to the west. Notice that the time "t = 0" is arbitrary; so we allow negative values of t and interpret such a time like t = -3 to mean 3 seconds before the t = 0 mark.

- 1. Suppose the particle's motion is governed by the rule  $d(t) = t^3$ . Answer the following questions:
  - (i) Where is the particle at time t = 1?
  - (ii) What is the average velocity between t = 1 and t = 4?
  - (iii) What is the instantaneous velocity at time t = 1?
  - (iv) What is the instantaneous velocity v(t) at time t?
  - (v) At what times t is the particle stationary (i.e. has velocity 0)?
  - (vi) At what times t is the particle moving westward?
- 2. Repeat Question #1 for the following displacement functions:

(a) 
$$d(t) = \frac{5}{t^2}$$
  
(b)  $d(t) = \frac{1}{t+2}$   
(c)  $d(t) = -\sqrt{2t}$   
(d)  $d(t) = 3t^2 + 4$   
(e)  $d(t) = \frac{3}{\sqrt{t+5}}$   
(f)  $d(t) = t^2 - 4t$   
(g)  $d(t) = \frac{2}{t} - t^2$   
(h)  $d(t) = t^3 + 6t^2 + 5$ 

## Answers

- 1. (i) At t = 3 we have  $d(t) = d(3) = 3^3 = 27$ . So the particle is 27 metres east of P after 3 seconds.
  - (ii) The average velocity between t = 1 and t = 4 is

$$v_{\text{avg}} = \frac{d(4) - d(1)}{4 - 1} = \frac{4^3 - 1^3}{3} = \frac{63}{3} = 21 \text{ m/s}.$$

(iii) The instantaneous velocity at t = 1 is given by

$$v(1) = \lim_{t \to 1} \frac{d(t) - d(1)}{t - 1}$$
  
=  $\lim_{t \to 1} \frac{t^3 - 1}{t - 1}$   
=  $\lim_{t \to 1} \frac{(t - 1)(t^2 + t + 1)}{t - 1}$   
=  $\lim_{t \to 1} (t^2 + t + 1)$   
= 3.

So the particle is moving at 1 m/s in the eastward direction at the instant when t = 1.

Note: Alternatively, we could have used

$$v(1) = \lim_{h \to 0} \frac{d(1+h) - d(1)}{h}$$

to obtain the same result. See (iv), below, for a more general calculation along these lines.

(iv) The instantaneous velocity at time t is given by

$$\begin{aligned} v(t) &= \lim_{h \to 0} \frac{d(t+h) - d(t)}{h} \\ &= \lim_{h \to 0} \frac{(t+h)^3 - t^3}{h} \\ &= \lim_{h \to 0} \frac{t^3 + 3t^2h + 3th^2 + h^3 - t^3}{h} \\ &= \lim_{h \to 0} \frac{3t^2h + 3th^2 + h^3}{h} \\ &= \lim_{h \to 0} \frac{3t^2 + 3th + h^2}{h} \\ &= 3t^2. \end{aligned}$$

Note: Since we now know  $v(t) = 3t^2$ , we can simply set t = 1 to get v(1) = 3, which of course agrees with what we found in part (iii).

(v) The particle is stationary when v(t) = 0. Using part (iv), we have

 $v(t) = 0 \iff 3t^2 = 0 \iff t = 0.$ 

So the particle is stationary only at time t = 0.

- (vi) The particle is moving westward when v(t) is negative. But we know  $v(t) = 3t^2$ , and this quantity cannot be negative. So the particle is never moving westward.
- 2. (a) (i) 5 m east of P (ii)  $-\frac{25}{16}$  m/s (iii) -10 m/s (iv)  $v(t) = -10/t^3$  (v) no stationary points (vi) at all times t > 0
  - (b) (i)  $\frac{1}{3}$  m east of P (ii)  $-\frac{1}{18}$  m/s (iii)  $-\frac{1}{9}$  m/s (iv)  $v(t) = -1/(2+t)^2$  (v) no stationary points (vi) at all times  $t \neq -2$
  - (c) (i)  $\sqrt{2}$  m west of P (ii)  $-\frac{\sqrt{2}}{3}$  m/s (iii)  $-\frac{1}{\sqrt{2}}$  m/s (iv)  $v(t) = -1/\sqrt{2t}$  (v) no stationary points (vi) at all times t > 0
  - (d) (i) 7 m east of P (ii) 15 m/s (iii) 6 m/s (iv) v(t) = 6t (v) t = 0 (vi) at all times t < 0
  - (e) (i)  $\frac{\sqrt{6}}{2}$  m east of P (ii)  $\frac{2-\sqrt{6}}{6}$  m/s (iii)  $-\frac{\sqrt{6}}{24}$  m/s (iv)  $v(t) = -\frac{3}{2}(t+5)^{3/2}$  (v) no stationary points (vi) at all times t
  - (f) (i) 3 m west of P (ii) 1 m/s (iii) -2 m/s (iv) v(t) = 2t 4 (v) t = 2 (vi) at all times t < 2
  - (g) (i) 1 m east of P (ii)  $-\frac{11}{2}$  m/s (iii) -4 m/s (iv)  $v(t) = -\frac{2(1+t^3)}{t^2}$  (v) t = -1 (vi) all times t > -1 except t = 0
  - (h) (i) 12 m east of P (ii) 51 m/s (iii) 15 m/s (iv)  $v(t) = 3t^2 + 12t$  (v) t = 0 and t = -4 (vi) -4 < t < 0